
Collezioni
Stone





Collezione Stone



Stone 25x37,5 - 30x90 - 30x30 - 40x40 - 60x60 - 80x80 - 60x120 - 80x160 - 120x120 - 120x240


serie Stone




Stone Bianco - Grigio 25x33,7 - Decoro Stone Grigio 25x37,5




serie Stone



6500 25x37,5 Stone Bianco



6502 25x37,5 Stone Grigio




6503 25x37,5 Stone Beige




6505 25x37,5 Stone Tortora

6501 25x37,5
Stone Decoro Grigio6504 25x37,5
Stone Decoro Tortora

6510 30x90 Stone Bianco



6513 30x90 Stone Ivory




6511 30x90 Stone Decoro Grigio



6514 30x90 Stone Decoro Tortora



6512 30x90 Stone Grigio



6515 30x90 Stone Tortora

DATI TECNICI

technical data

	FORMATO size		PCS/BOX	M /BOX	KG/BOX	BOX/PLT	M/PLT	KG/PLT	PAL/Cntr
bicottura rapida dig.	25x37,5	7,5 mm	10	0,9375	12	100	93,75	1230	22,75/m 2132,81
bicottura rapida dig. decoro	25x37,5	7,5 mm	10	0,9375	12	100	93,75	1230	22,75/m 2132,81
bicottura rapida dig.	30x90	10,50 mm	4	1,080	19	58	62,64	1132	24/m 1503,36
bicottura rapida dig. decoro	30x90	10,50 mm	4	1,080	19	58	62,64	1132	24/m 1503,36

serie Stone



Stone Grigio 60x60



serie Stone



6516 Stone Bianco 30x30

6520 Stone Bianco 40x40



6517 Stone Grigio 30x30

6521 Stone Grigio 40x40



6518 Stone Beige 30x30

6522 Stone Beige 40x40



6519 Stone Tortora 30x30

6523 Stone Tortora 40x40



6525 60x60 Stone Bianco

6530 80x80 Stone Bianco

6535 120x120 Stone Bianco



6527 60x60 Stone Beige

6532 80x80 Stone Beige

6537 120x120 Stone Beige



6526 60x60 Stone Grigio

6531 80x80 Stone Grigio

6536 120x120 Stone Grigio



6528 60x60 Stone Tortora

6533 80x80 Stone Tortora

6538 120x120 Stone Tortora

** Non Rettificato Assorbimento Acqua 4%

* Disponibilità su richiesta con ordine minimo di 5 container.

DATI TECNICI technical data	FORMATO size		PCS/BOX	M/BOX	KG/BOX	BOX/PLT	M/PLT	KG/PLT	PAL/Cntr
Gres porcellanato dig.	30x30 **	9 mm	10	0,90	16,30	80	72,00	1330	21/m 1512,00
Gres porcellanato dig.	* 40x40	10 mm	6	0,96	20,00	64	61,44	1285	21,75/m 1336,00
Gres porcellanato dig.	60x60	9 mm	4	1,44	29	36	51,84	1044	27/m 1399,68
Gres porcellanato dig.	* 80x80	9 mm	3	1,92	66	32	61,44	1330	20/m 1228,80
Gres porcellanato dig.	* 120x120	9 mm	2	2,88	16	23	66,24	1550	17/m 1126,08



serie Stone



6540	60x120	Stone Bianco
6550	80x160	Stone Bianco
6560	120x240	Stone Bianco



6541	60x120	Stone Foliage Bianco
6551	80x160	Stone Foliage Bianco
6561	120x240	Stone Foliage Bianco



6542	60x120	Stone Grigio
6552	80x160	Stone Grigio
6562	120x240	Stone Grigio



serie Stone



6545	60x120	Stone Beige
6555	80x160	Stone Beige
6565	120x240	Stone Beige



6546	60x120	Stone Foliage Beige
6556	80x160	Stone Foliage Bianco
6566	120x240	Stone Foliage Bianco



6547	60x120	Stone Tortora
6557	80x160	Stone Tortora
6567	120x240	Stone Tortora

GRES PORCELLANATO RETTIFICATO



serie Stone



Stone Tortora 60x120 - Stone Foliage Beige 60x120

serie Stone



66546 60x120 Stone Foliage Beige

GRES PORCELLANATO RETTIFICATO



serie Stone



Stone Grigio 60x120 - Stone Foliage Bianco 60x120

GRES PORCELLANATO RETTIFICATO




serie Stone





Stone Tortora 120x240





serie Stone



6568 120x240 Stone Tortora


* Disponibilità su richiesta con ordine minimo di 5 container
120x240 PLT. In Ferro su Cntr. 40

DATI TECNICI technical data	FORMATO size		PCS/BOX	M /BOX	KG/BOX	BOX/PLT	M /PLT	KG/PLT	PAL/Cntr
Gres porcellanato dig.	60x120	9 mm	2	1,44	29	32	46,08	928,00	30/ m 1382,24
Gres porcellanato dig.	60x120 floreale	9 mm	2	1,44	29	32	46,08	928,00	30/ m 1382,24
Gres porcellanato dig.	* 80x160	9 mm	2	2,52	53,86	28	71,68	1508,00	18,5/ m 11328,08
Gres porcellanato dig.	* 80x160 floreale	9 mm	2	2,52	53,86	28	71,68	1508,00	18,5/ m 11328,08
Gres porcellanato dig.	* 120x240	9 mm	1	2,88	60	50	144,00	3000,00	8/ m 1152,00
Gres porcellanato dig.	* 120x240 floreale	9 mm	1	2,88	60	50	144,00	3000,00	8/ m 1152,00



Srone Bianco Piano Tavolo 120x240

APPLICATION




TOPS & KITCHEN




CURVED SURFACE




INTERIOR & DESIGN




FLOORS WALLS & STAIRS



DOORS & SLIDING WALLS



TOPS & BATHROOMS



SHELVES & CONSOLE



VENTILATED FACADE

TECHNICAL SPECIFICATION FOR GRES PORCELLANATO

CHARACTERISTICS	FLOOR TILES		METHOD OF TESTING
	INTERNATIONAL STD. ISO 13006 Bla/en 14411	RB S.r.l.	
Deviation in Length	+/- 0.6%	+/- 0.3%	ISO 10545 Pt 2
Deviation in Thickness	+/- 5%	+/- 3%	ISO 10545 Pt 2
Straightness of Sides	+/- 0.5%	+/- 0.1%	ISO 10545 Pt 2
Rectangularity	+/- 0.6%	+/- 0.2%	ISO 10545 Pt 2
Surface Flatness	+/- 0.5%	+/- 0.2%	ISO 10545 Pt 2
Water Absorption	< 0.5%	< 0.05%	ISO 10545 Pt 3
Mohs Hardness	> 6	>6	EN 101
Flexural Strength	> 35N/mm ²	> 46N/mm ²	ISO 10545 Pt 4
Skid Resistance (Friction coefficient)	-	> 0.4	ISO 10545 Pt 17
Breaking Strength	1300 N	2800 N	ISO 10545 Pt 4
Frost Resistance	Frost Proof	Frost Proof	ISO 10545 Pt 12
Chemical Resistance	No Damage	No Damage	ISO 10545 Pt 13
Thermal Shock Resistance	No Damage	No Damage	ISO 10545 Pt 9
Colour Resistance	No Damage	No Damage	DIN 51094
Stain Resistance	Resistance	Resistance	ISO 10545-14
Moisture Expansion	Nil	Nil	ISO 10545-10
Glossiness	-	Min. 80% Reflection	Glossmeter
Resistance to Surface Abrasion (of tiles intended for use on floors)	Abrasion Class Shall be Specified by the Manufacturer	PEI Class 3-5	ISO-10545-7 IS:13630-11

The reproduction of tiles in this catalogue is restricted to four color printing only and tiles are not in relative sizes, therefore customers are advised to see the physical sample before placing the order. " Technical Specification" for Sakarmarbo floor tiles are applicable only for premium quality tiles. Please inspect all tiles prior to installation. Company will not entertain complaints once tiles are laid/fixed. Complaints will not be entertained for Borders, Highlighters & Motifs.



ITALY

www.rbceramiche.com

RB S.r.l.

41053 Maranello (MO) Italy - Via Vignola 11
export@rbceramiche.com info@rbceramiche.com